March 15, 2006   USPTO

Search

- Full Text
- Concept
- Document ID
- Recent Disclosures

Other

- Prior Art Home
- Support
- Logout

Displaying records #1 through 10 out of 42

Result # 1   Relevance: ⬡⬡⬡⬡⬡

UTF-8, a transformation format of ISO 10646 (RFC2279)

1998-01-01   IPCOM000002840D   English (United $

ISO/IEC 10646-1 defines a multi-octet character set called the Universal Character Set (UCS) wl encompasses most of the world's writing systems. Multi-octet characters, however, are not compatible with many current applications and protocols, and this has led to the ...

Result # 2   Relevance: ⬡⬡⬡⬡⬡

UTF-8, a transformation format of Unicode and ISO 10646 (RFC2044)

1996-10-01   IPCOM000002599D   English (United $

The Unicode Standard, version 1.1, and ISO/IEC 10646-1:1993 jointly define a 16 bit character which encompasses most of the world's writing systems. 16-bit characters, however, are not compatible with many current applications and protocols, and this has led to the ...

Result # 3   Relevance: ⬡⬡⬡⬡⬡

The Report of the IAB Character Set Workshop held 29 February - 1 March, 1 (RFC2130)

1997-04-01   IPCOM000002685D   English (United $

0: Executive summary.. 2 1: Introduction... 3 2: Character sets on the Internet -- the problem.............. 3 2.1: Character set handling in existing protocols.............. ...

Result # 4   Relevance: ⬡⬡⬡⬡⬡

ACAP -- Application Configuration Access Protocol (RFC2244)

1997-11-01   IPCOM000002803D   English (United $

The Application Configuration Access Protocol (ACAP) is designed to support remote storage and access of program option, configuration and preference information. The data store model is des to allow a client relatively simple access to interesting data, to allow new ...

Result # 5   Relevance: ⬡⬡⬡⬡⬡

IETF Policy on Character Sets and Languages (RFC2277)

1998-01-01   IPCOM000002838D   English (United $

The Internet is international.

Result # 6   Relevance: ⬡⬡⬡⬡⬡

A Dictionary Server Protocol (RFC2229)

1997-10-01   IPCOM000002787D   English (United $

The Dictionary Server Protocol (DICT) is a TCP transaction based query/response protocol that a a client to access dictionary definitions from a set of natural language dictionary databases.

Result # 7   Relevance: ⬡⬡⬡⬡⬡

UTF-7 A Mail-Safe Transformation Format of Unicode (RFC2152)

1997-05-01   IPCOM000002709D   English (United $

The Unicode Standard, version 2.0, and ISO/IEC 10646-1:1993(E) (as amended) jointly define ¿ character set (hereafter referred to as Unicode) which encompasses most of the world's writing systems. However, Internet mail (STD 11, RFC 822) currently supports only 7- bit US ...

Result # 8   Relevance: ⊙⊙⬡⬡⬡

UTF-7 - A Mail-Safe Transformation Format of Unicode (RFC1642)

1994-07-01   IPCOM000002478D   English (United (

The Unicode Standard, version 1.1, and ISO/IEC 10646-1:1993(E) jointly define a 16 bit charact (hereafter referred to as Unicode) which encompasses most of the world's writing systems. How Internet mail (STD 11, RFC 822) currently supports only 7- bit US ASCII ...

Result # 9   Relevance: ⊙⊙⬡⬡⬡

DHCP Options for Novell Directory Services (RFC2241)

1997-11-01   IPCOM000002800D   English (United (

This document defines three new DHCP options for delivering configuration information to client: the Novell Directory Services. The first option carries a list of NDS servers. The second option ca the name of the client's NDS tree. The third carries the initial NDS ...

Result # 10   Relevance: ⊙⬡⬡⬡⬡

SDP: Session Description Protocol (RFC2327) ·

1998-04-01   IPCOM000002894D   English (United (

This document defines the Session Description Protocol, SDP. SDP is intended for describing multimedia sessions for the purposes of session announcement, session invitation, and other for multimedia session initiation.

Displaying page 1 of 5   << FIRST | < BACK | NEXT > | LAST >>

Search query: UTF-8

Published Before: 6-4-1998 (Original publication date)

New search | Modify this search | Search within current results